




# TABULA TABLES - TAR 20

— By Actiu —



TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
<b>Base</b>	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black, Blue, Orange and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished.
<b>Supports</b>	Levellers with anti-skid pads.	Non-slip PP plug. Optional: 50mm diameter black castors with Teflon tyre thread.	Non-slip PP plug.
<b>Column</b>	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver, Blue, Orange and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
<b>Table top</b>	25mm thick MFC tops and 10 mm thick Compact Laminated top	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
<b>Height</b>	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
<b>Outdoor table</b>	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
<b>Connectivity options</b>	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.



TAR10 TABULA TABLES









































Steel Base  
Ø40 / Ø45 cm  
Aluminium column Ø60 mm

TAR20 TABULA TABLES

Injected Aluminium base  
Ø67,5 cm  
Aluminium column Ø60 mm

TAR30 TABULA TABLES

Injected Aluminium base  
Ø58 / Ø66 cm  
Aluminium column Ø76 mm

	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 Ø120 cm									
	 60x60 cm									
	 70x70 cm									
	 80x80 cm									
	 90x60 cm									
	 140x70 cm									
110 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 60x60 cm									
40 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									



Tábula TAR 20 tables have been designed to be used wither indoor or outdoor (using C. Laminated tops), thanks to its aluminium frame (base, column and desk support), which provides a resistant outdoor table.

- ① **Work tops** davalible in Melamine (25mm) Compact Laminate (10 mm) or laminated security glass (5+5 mm), round shape edge
- ② Aluminium central **column** 60mm diameter and 2mm thickness
- ③ **Base:** Ø 67,5 cm, with 4 cross supports, made of aluminized finish aluminum, white, orange, blue, black and black-polished. The support arms have antiskid pad.  
Optional: Ø50 mm diameter castor with rolling teflon. Black finish.
- ④ **3 different Heights:**
  - 40 cm. height Tables
  - 74 cm. height Tables
  - 110 cm. height Tables
- ⑤ **Supports:** Non-slip PP plug

■ BASES



White Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape White finish - Ø 67,5 cm Supports in PP



Silver Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape. Silver finish - Ø 67,5 cm Supports in PP



Orange Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape. Orange finish - Ø 67,5 cm Supports in PP



Blue Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape. Blue finish - Ø 67,5 cm Supports in PP




Black Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape. Black finish - Ø 67,5 cm Supports in PP



Black Steel Cylinder Tube Die Casted Aluminium base with a 4 star shape. Polished finish - Ø 67,5 cm Supports in PP

■ TÁBULA TABLES TAR-20



■ FINISHES (see table of finishes)

MFC (25 mm)



OPTIONAL:  
Ø50 mm diameter castor with rolling teflon. Black finish  
\*All meeting tables with castors will increase height in 55mm.



Compact Laminate (10 mm)

Black core



F20 TRAFFIC WHITE



F36 PULPIS LIGHT

Coloured core



F21 MARMO OLIMPO




F28 SAMAS BLACK

Glass



50 FROSTED



52 WHITE



59 BLACK



**MATERIALS**

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**60,12%**  
RECYCLED  
MATERIALS



**PRODUCTION**

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE  
ALUMINIUM, STEEL  
& WOOD



**TRANSPORT**

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE  
PACKAGE AND THINNER  
FREE



**USE**

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN  
AND MAINTAIN



**DISPOSAL**

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**98,25%**  
RECYCLABLE  
MATERIALS

**CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



**Standards**

Tabula Tar 20 has passed the tests carried out in our laboratory and the tests performed at the Instituto Tecnológico del Mueble (AIDIMME) corresponding to the standards:

Regulations	Description
UNE-EN 15372:2017	Furniture. Strength, durability and safety. Requirements for non-domestic tables.




# TÁBULA TABLES - TAR 10

— By Actiu —



TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
<b>Base</b>	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black, Blue, Orange and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished.
<b>Supports</b>	Levellers with anti-skid pads.	Non-slip PP plug. Optional: 50mm diameter black castors with Teflon tyre thread.	Non-slip PP plug.
<b>Column</b>	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver, Blue, Orange and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
<b>Table top</b>	25mm thick MFC tops and 10 mm thick Compact Laminated top	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
<b>Height</b>	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
<b>Outdoor table</b>	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
<b>Connectivity options</b>	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.



TAR10 TABULA TABLES

Steel Base  
Ø40 / Ø45 cm  
Aluminium column Ø60 mm


TAR20 TABULA TABLES

Injected Aluminium base  
Ø67,5 cm  
Aluminium column Ø60 mm

TAR30 TABULA TABLES

Injected Aluminium base  
Ø58 / Ø66 cm  
Aluminium column Ø76 mm

	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	Ø60 cm									
	Ø80 cm									
	Ø100 cm									
	Ø120 cm									
	60x60 cm									
	70x70 cm									
	80x80 cm									
	90x60 cm									
	140x70 cm									
110 cm HEIGHT	Ø60 cm									
	Ø80 cm									
	Ø100 cm									
	60x60 cm									
40 cm HEIGHT	Ø60 cm									
	Ø80 cm									



- 1 **Work tops** available in MFC (25mm) or Compact laminate (10 mm) in different colours
- 2 Aluminium **Column** 60 mm diameter and 2 mm thickness
- 3 **Base:** Steel Base 45 mm diameter and 8 mm thickness. Epoxy finish. Round shape.
- 4 **3 different Heights:**
  - 40 cm. height Tables
  - 74 cm. height Tables
  - 110 cm. height Tables

5 **Levellers** with anti-skid pads

■ **BASES**




Silver epoxy finish

White epoxy finish

Black epoxy finish

■ **TÁBULA TABLES TAR-10**




■ **FINISHES** (see table of finishes)

MFC (25 mm)



Compact Laminate (10 mm)

**Black core**



F20 TRAFFIC WHITE


**Coloured core**



F36 PULPIS LIGHT



F21 MARMO OLIMPO



F28 SAMAS BLACK



**MATERIALS**

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**49,42%**  
RECYCLED  
MATERIALS



**PRODUCTION**

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE  
ALUMINIUM, STEEL  
& WOOD



**TRANSPORT**

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE  
PACKAGE AND THINNER  
FREE



**USE**

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN  
AND MAINTAIN




**DISPOSAL**

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**99,13%**  
RECYCLABLE  
MATERIALS

■ **CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).






# TABULA TABLES - TAR 30

— By Actiu —



TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
<b>Base</b>	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black, Blue, Orange and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished.
<b>Supports</b>	Levellers with anti-skid pads.	Non-slip PP plug. Optional: 50mm diameter black castors with Teflon tyre thread.	Non-slip PP plug.
<b>Column</b>	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver, Blue, Orange and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
<b>Table top</b>	25mm thick MFC tops and 10 mm thick Compact Laminated top	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 10 mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
<b>Height</b>	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
<b>Outdoor table</b>	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
<b>Connectivity options</b>	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.



**TAR10 TABULA TABLES**





































Steel Base  
Ø40 / Ø45 cm  
Aluminium column Ø60 mm

**TAR20 TABULA TABLES**

Injected Aluminium base  
Ø67,5 cm  
Aluminium column Ø60 mm


**TAR30 TABULA TABLES**

Injected Aluminium base  
Ø58 / Ø66 cm  
Aluminium column Ø76 mm

	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 Ø120 cm									
	 60x60 cm									
	 70x70 cm									
	 80x80 cm									
	 90x60 cm									
	 140x70 cm									
110 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 60x60 cm									
40 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									



OPTIONAL




- ① **Work tops** available in Melamine (25mm) Compact Laminate (10 mm) or laminated security glass (5+5 mm), round shape edge
- ② Aluminium **Column** 76 mm diameter and 2 mm thickness
- ③ **Base:** Aluminium Die Casting Bases, Ø58 or Ø66 cm, silver, white and black. The base has non-slip PP plugs.
- ④ **3 different Heights:**
  - 40 cm. height Tables
  - 74 cm. height Tables
  - 110 cm. height Tables
- ⑤ **Optional Connectivity:** TALL models with melamine and phenolic surfaces can optionally incorporate integrated connection access to the table surface with a plug.




- ⑥ **Non-slip PP plug.**

■ BASES



Silver aluminum Cylinder Tube  
Die Casted Aluminium base, silver finish - Supports in PP




White aluminium Cylinder Tube  
Die Casted Aluminium base, white finish - Supports in PP



Black aluminium Cylinder Tube  
Die Casted Aluminium base, black finish - Supports in PP

■ TÁBULA TABLES TAR-30



■ FINISHES (see table of finishes)


MFC (25 mm)



Compact Laminate (10 mm)

Black core

Coloured core



Glass





**MATERIALS**

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**15,74%**  
RECYCLED  
MATERIALS



**PRODUCTION**

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE  
ALUMINIUM, STEEL  
& WOOD



**TRANSPORT**

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE  
PACKAGE AND THINNER  
FREE



**USE**

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN  
AND MAINTAIN




**DISPOSAL**

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**51,97%**  
RECYCLABLE  
MATERIALS

**CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



# TABULA TABLES - TEX 10

— By Alegre Design —





■ DESCRIPTION

**Linking plate** to fix column to surface:

- **Board surface:** Moulded aluminium plate


- **Glass surface:** Steel plate fixed to the glass top

**Frame** is formed by an extruded aluminium leg 2 mm thick and a moulded aluminium round base. Antiskid levellers to avoid problems with irregular floors. Two different heights: 73 cm or 43 cm


- ① Linking plate fixing the top to the column
- ② Work tops available in different finishes and colours
- ③ Extruded aluminium 2 mm thick
- ④ Ø 58 cm steel base, 5 mm thick



Central leg, extruded aluminium 2 mm thickness



Fixing plate linking the column to the surface



Base detail and anti-skid Polypropylene glides

■ FRAME




White coating



Silver coating

■ DIMENSIONS



■ FINISHES (see table of finishes)

MFC (25 mm)



C. Laminate (13 thick)



Glass





**MATERIALS**

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**60,12%**  
RECYCLED MATERIALS



**PRODUCTION**

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE ALUMINIUM, STEEL & WOOD



**TRANSPORT**

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE PACKAGE AND THINNER FREE



**USE**

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN AND MAINTAIN



**DISPOSAL**

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**98,25%**  
RECYCLABLE MATERIALS

■ **CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



EN ISO 14006:2011  
ECODESIGN Certificate



UNE-EN ISO 9001:2008  
ISO 9001 Certificate



UNE-EN ISO 14001:2004  
ISO 14001 Certificate



E1 Certificate  
by EN 13986



California 93120  
Compliant Formaldehyde Phase 2



ACTIU TECHNOLOGY PARK  
LEED® PLATINUM certified by USGBC  
Leadership in Energy & Environmental Design  
LEED® Gold certified 2011 - LEED® Platinum certified 2017

■ **STANDARDS**

**TEX 10** has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture.

The tests correspond to **UNE** standards and office desks:

- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.